PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015	
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848	
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015	
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 35 5.6 PROPOSAL EVALUATION CRITERIA 3.F		
CHANG E REQUESTED		
Original Language:		
Standard Warranty: Degree to which the standard warranty of Section 48.0 WARRANTY PROVISIONS is proposed to be met or exceeded.		
COMMENTS / REASON FOR CHANGE		
New Flyer has reviewed the specifications in details and have not been able	a to locate Section 48.0. Can the	
New Flyer has reviewed the specifications in details and have not been able to locate Section 48.0. Can the LGVRD please provide this information? Otherwise, would the LGVRD prefer the bidder submit their best value		
offer for warranty coverage and processes for LGVRD review and evaluation?		
/ /		
ACTION TAKEN: Approved DATE: 3/14/15	CONTROL#: (VEH. TYPE) - (#)	
COMMENT:		

Page 161 of 176

R.F.P. # LRGVDC-TX-34-0010-00

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015	
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848	
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015	
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 59 TS13.1 Service		
CHANG E REQUESTED		
Original Language:		
The propulsion system shall be arranged for ease of access and maintenance. The Contractor shall list all special tools, fixtures or facility requirements recommended for servicing.		
COMMENTS / REASON FOR CHANGE	,	
As the number of buses may vary from the base order to each option, New Flyer requests approval from Valley Metro that all tooling and maintenance equipment be priced separately from the bus price. This will ensure proper costing for each bus delivery and allow Valley Metro to equip their shop appropriately. New Flyer will ensure that our Training and Tooling Manager works directly with Valley Metro to determine the tooling required based on how the operation is currently equipped.		
REVIEWED BY: Under Horde DATE: 3/16/15. ACTION TAKEN: Approved	CONTROL#: (VEH. TYPE) - (#)	
COMMENT:		

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015	
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	<b>P</b> HONE: (204) 224-6848	
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015	
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 149 Figure 1 Training Schedule	'	
CHANG E REQUESTED		
Original Language:		
All training shall be conducted at LOWER RIO GRANDE VALLEY METRO facilities and scheduled jointly by LOWER RIO GCOUNCIL/VALLEY METRO and the Manufacturer.	6	
COMMENTS / REASON FOR CHANGE		
New Flyer requests that the training be priced separately from the bus price. This will ensure proper costing regardless of the number of buses in the base order, and each subsequent delivery. New Flyer also requests approval to provide a training proposal showing pricing for individual courses along with the length of each training course. This will allow Valley Metro the opportunity to allocate the total number of training hours to the specific courses they want along with the required quantities based on their training requirements.		
ACTION TAKEN: Declined.  DATE: 3/16/15	CONTROL#: (VEH. TYPE) - (#)	
comment: He training most be pert of your onit it we require more Training easts for that purpose.	then you en hot	
costs for that purpose.		

Page 161 of 176

R.F.P. # LRGVDC-TX-34-0010-00

Respondents Initials:

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015	
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848	
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015	
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 2 Bid Opening		
CHANG E REQUESTED		
Original Language:		
Bid Opening: March 20, 2015 @ 12:00 noon		
	,	
COMMENTS / REASON FOR CHANGE		
New Flyer requests confirmation that the bid opening will be at 12:00 noon on the 20th of March. On page 5 of the RFP, the Proposal opening time states 4:00 pm which conflicts with the noon time noted throughout the rest of the document.		
REVIEWED BY: Vicio Mobile DATE: 3/19/15 ACTION TAKEN: REVISED	CONTROL#: (VEH. TYPE) - (#)	
COMMENT: The correct time Par Bid opening. 4:00 pm(CST)	my 15 March 20,2019	

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015	
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848	
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015	
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 19 Attachment "A" Pricing Schedule		
CHANG E REQUESTED		
Original Language:		
Optional Items		
COMMENTS / REASON FOR CHANGE		
New Flyer requests approval to provide additional space on the optional items page for pricing on items that may be available and of interest to the purchasing authority on the proposed product and are not listed in the specification.		
	W 100	
REVIEWED BY: Chesor Morale DATE: 3/16/15 ACTION TAKEN: Approved	CONTROL#: (VEH. TYPE) - (#)	
COMMENT:		

Page 161 of 176

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 19 Attachment "A" Pricing Schedule	
CHANG E REQUESTED	¥
Original Language:	
PPI vs. Firm Fixed price contract	
COMMENTS / REASON FOR CHANGE	
New Flyer requests clarification on the pricing required for years 2-5 of the PPI will be used to determine pricing after the base year however then asks f contract for the proposed product. Furthermore, in Part II, 1. General Inform it is stated that the contract shall be a "firm-fixed price Contract". Please cla price over the life of the contract after year 1, or if the bidder should submit	for pricing for each year of the nation, 1,1 Purpose on page 20 or 176, rify if PPI will be used to escalate the a price for each year.
REVIEWED BY: Charlorale DATE: 3/16/15 ACTION TAKEN: No change	CONTROL#: (VEH. TYPE) - (#)
COMMENT: Part I Terms and conditions price	e Escalation allows

Page 161 of 176

R.F.P. # LRGVDC-TX-34-0010-00

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 25 1.5.1 Termination for Convenience	'
CHANG E REQUESTED	
Original Language:	
The Contractor shall be paid its costs, including up to 5% re-stocking to Vendor, contract close-out costs, and not to exceed 1% profit on termination. The Contractor shall promptly submit its termination of Contractor.	work performed up to the time of
COMMENTS / REASON FOR CHANGE	
New Flyer requests approval for the wording to be amended as follows as, convenience, the bidder should be eligible to recover profit on the work perfmay have been completed near to completion.  "The Contractor shall be paid its costs, including up to 5% re-stocking charge contract close-out costs, profit on work performed up to the time of terminal submitted its pricing at. The Contractor shall promptly submit its termination Contractor.	ormed. In some instances the work of any materials returned to Vendor, tion, at the profit % that the bidder
REVIEWED BY: Check Morale DATE: 3/16/15 ACTION TAKEN: Deckned	CONTROL#: (VEH. TYPE) - (#)
COMMENT:	

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 28 2.3 Indemnification	'
CHANG E REQUESTED	
Original Language:	
The Contractor shall, to the extent permitted by law (1) protect, in Grande Valley Development Council/Valley Metro and its officers, consultants, harmless from and against any and all liabilities, consultantes, judgments, awards, losses, costs, expenses,	employees and agents, including
	8
COMMENTS / REASON FOR CHANGE	
New Flyer requests the Indemnification language be modified as outlined b "The Contractor shall, to the extent permitted by law (1) protect, indemnify a Development Council/Valley Metro and its officers, employees and agents, in and against any and all liabilities, damages, claims, demands, liens, encumbra costs, expenses	and save the Lower Rio Grande Valley acluding consultants, harmless from
REVIEWED BY: Character Llorages DATE: 3/6/15 ACTION TAKEN: Jech ned	CONTROL#: (VEH. TYPE) - (#)
COMMENT: Contsee ony change on la	inguage

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 29 2.3 Indemnification	
CHANG E REQUESTED	, , , , , , , , , , , , , , , , , , ,
Original Language:	
(2) upon receipt of notice and if given authority, shall settle at its o	wn expense or undertake at its c

expense the defense of any such suit, action or proceeding, including appeals, against the Lower Rio Grande Valley Development Council/Valley Metro and its officers, employees and agents, including consultants, relating to such injury, death, loss or damage. Each party shall promptly notify the other in writing of the notice or assertion of any claim, demand, lien, encumbrance, judgment, award, suit, action or other proceeding hereunder. The Contractor shall have sole charge and direction of the defense of such suit, action or other proceeding. The Lower Rio Grande Valley Development Council/Valley Metro shall not make any admission which might be materially prejudicial to the Contractor unless the Contractor has failed to take over the conduct of any negotiations or defense within a reasonable time after receipt of the notice and authority above provided. The Lower Rio Grande Valley Development Council/Valley Metro shall at the request of the Contractor furnish to the Contractor all reasonable assistance that may be necessary for the purpose of defending such suit, action or proceeding, and shall be repaid all reasonable costs incurred in doing so. The Lower Rio Grande Valley Development Council/Valley Metro shall have the right to be represented therein by advisory council of its own selection at its own expense.

Request for Proposals for the Procurement of Thirty to One Hundred (32-100) Wheelchair-Equipped Transit Buses & Vans RFP #LRGVDC-TX-34-0010-00 Due Date: March 20th, 2015 at 12:00 Noon.

#### COMMENTS / REASON FOR CHANGE

New Flyer requests the following language be deleted from the specification as the bidder shall indemnify LGVRD but is not in a position to defend or protect. This is inline with industry standards.

(2) upon receipt of notice and if given authority, shall settle at its own expense or undertake at its own expense the defense of any such suit, action or proceeding, including appeals, against the Lower Rio Grande Valley Development Council/Valley Metro and its officers, employees and agents, including consultants, relating to such injury, death, loss or damage. Each party shall promptly notify the other in writing of the notice or assertion of any claim, demand, lien, encumbrance, judgment, award, suit, action or other proceeding hereunder. The Contractor shall have sole charge and direction of the defense of such suit, action or other proceeding. The Lower Rio Grande Valley Development Council/Valley Metro shall not make any admission which might be materially prejudicial to the Contractor unless the Contractor has failed to take over the conduct of any negotiations or defense within a reasonable time after receipt of the notice and authority above provided. The Lower Rio Grande Valley Development Council/Valley Metro shall at the request of the Contractor furnish to the Contractor all reasonable assistance that may be necessary for the purpose of defending such suit, action or proceeding, and shall be repaid all reasonable costs incurred in doing so. The Lower Rio Grande Valley Development Council/Valley Metro shall have the right to be represented therein by advisory council of its own selection at its own expense.

	DATE: 0/10/12 CONTROL#: -
REVIEWED BY: UlCarlla	AL DATE: 3/16/15 CONTROL#:
ACTION TAKEN: Approved	(VEH. TYPE) - (#)

COMMENT:

·		
PREPARED BY: New Flyer of America Inc.	Date: March 9, 2015	
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R	2C 3A8 PHONE: (204) 224-6848	
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015	
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 19 Attachment "A" Pricing Schedule	,	
CHANG E REQUESTED		
Original Language:		
	4	
COMMENTS / REASON FOR CHANGE		
New Flyer requests the following language be added to Attachment "A" "Notwithstanding anything else to the contrary herein contained, in the event that a price adjustment is required in respect of changes that are mandatory as a result of legislation or regulations that become effective after the date of the submission of the Contractor's bid, such price adjustment shall be negotiated in good faith by the Agency and the Contractor"		
REVIEWED BY: Under Morale DATE: 3/16/ ACTION TAKEN: Declined	CONTROL#: (VEH. TYPE) - (#)	
COMMENT:		

Page 161 of 176

R.F.P. # LRGVDC-TX-34-0010-00

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 51 Table 2b Break Over Angle	,
CHANG E REQUESTED	
Original Language:	x
Approach Angle: 8 deg	
Front Break-over Angle: 13 deg	
Departure Angle: 9 deg	,
COMMENTS /	
REASON FOR CHANGE	
New Flyer requests approval to provide a 30' bus that has the following ang passengers but is also equipped with a ferry lift system to ensure the operator hazards.  Approach Angle:8.1  Front Breakover Angle: 5.1  Departure Angle: 8.6	gles due to the ride/step height for or has a means of avoiding road
REVIEWED BY: Vi tosllorder DATE: 3/10/15 ACTION TAKEN: Approved	CONTROL#: (VEH. TYPE) - (#)
COMMENT:	

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015	
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	<b>P</b> HONE: (204) 224-6848	
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015	
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 51 TS6.7 Ground Clearance		
CHANG E REQUESTED		
Original Language:		
Ground clearance shall be no less than 9.4 inches except within the axle zone and wheel area		
COMMENTS / REASON FOR CHANGE		
New Flyer requests approval to provide a bus with a ground clearance no le	ss than 9.0".	
	×0	
REVIEWED BY: VICTOR MORDLE DATE: 3/16/15 ACTION TAKEN: ASPYBUEL	CONTROL#: (VEH. TYPE) - (#)	
COMMENT:		

Page 161 of 176

R.F.P. # LRGVDC-TX-34-0010-00

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 52 TS6.8.1 Transit Bus	
CHANG E REQUESTED	
Original Language:	
Height of the step above the street shall be no more than 13.4 in. front and rear doorway.	measured at the centerline of the
	-
COMMENTS / REASON FOR CHANGE	9
New Flyer requests approval to provide a bus with a step height no more th	an 14.5".
n	
REVIEWED BY: VI Was blosoft DATE: 3/16/15 ACTION TAKEN: Approved.	CONTROL#: (VEH. TYPE) - (#)
COMMENT:	

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 56 TS10.1.4 Mounting	
CHANG E REQUESTED	
Original Language:	
The Radiator shall be mounted on the rear lower curbside of the	
cooler & hydraulic oil cooler shall be separate and be positioned besi	de each other. Not stacked on top
of each other or in front of or behind.	
	2
COMMENTS /	
REASON FOR CHANGE	or or
New Flyer requests approval for the radiator to be mounted on the rear low	er streetside of the bus. The main
cooler, charge air cooler & hydraulic oil cooler shall be separate and be position	oned beside each other.
	*
REVIEWED BY: Us con Mosses DATE: 3/16/15 ACTION TAKEN: Approved	CONTROL#:
ACTION TAKEN: Approved	(VEH. TYPE) - (#)
COMMENT:	

Page 161 of 176

R.F.P. # LRGVDC-TX-34-0010-00

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	<b>P</b> HONE: (204) 224-6848
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 57 TS10.2 Charge Air Cooling	• ·
CHANG E REQUESTED	
Original Language:	
The charge air radiator shall not be stacked ahead of or behind positioned as close to the engine as possible unless integrated with t	100.000
	*
COMMENTS / REASON FOR CHANGE	
New Flyer requests approval for the charge air radiator to be positioned bespositioned as close to the engine as possible unless integrated with the radiation	side engine radiator and it shall be tor.
REVIEWED BY: Victor Mospher DATE: 3/16/15 ACTION TAKEN: Approved	CONTROL#: (VEH. TYPE) - (#)
COMMENT:	

Page 161 of 176

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015	
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848	
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015	
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 59 TS13.1 Service	,	
CHANG E REQUESTED		
Original Language:		
Engine oil and the radiator filler caps shall be hinged to the filler neck and closed with spring pressure or positive locks to prevent leakage. All fluid fill locations shall be properly labeled to help ensure that correct fluid is added. All fillers shall be easily accessible with standard funnels, pour spouts and automatic dispensing equipment. All lubricant sumps shall be fitted with magnetic-type drain plugs or magnets in pan.		
COMMENTS / REASON FOR CHANGE	2	
New Flyer requests approval to provide radiator filler caps attached to the filler neck if and where possible. They shall be closed with spring pressure or positive locks to prevent leakage, if provided by the Original Equipment Manufacturer in said configuration.		
ACTION TAKEN: Approved DATE: 3/16/15	CONTROL#: (VEH. TYPE) - (#)	
COMMENT:		

Page 161 of 176

R.F.P. # LRGVDC-TX-34-0010-00

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 77 TS37.4 Air Reservoirs	· · · · · · · · · · · · · · · · · · ·
CHANG E REQUESTED	
Original Language:	
Major structural members shall protect these valves and any autor road hazards	matic moisture ejector valves from
	*
COMMENTS / REASON FOR CHANGE	
New Flyer requests approval to provide a bus that is not equipped with aut air system is designed to preclude this requirements and this is inherent to the	
REVIEWED BY: Victor llorale DATE: 3/6/5 ACTION TAKEN: Approved	CONTROL#: (VEH. TYPE) - (#)
COMMENT:	

Page 161 of 176

R.F.P. # LRGVDC-TX-34-0010-00

Respondents Initials:

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015	
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848	
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015	
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 88 TS44.4 Normal Bus Operation Instrumentation and Control	Is	
CHANG E REQUESTED		
Original Language:		
Table 6		
# # # # # # # # # # # # # # # # # # #		
COMMENTS / REASON FOR CHANGE		
New Flyer requests approval to provide side indicators as outlined on the attached file.		
REVIEWED BY: Proposed DATE: 3/16/5 ACTION TAKEN: Approved  COMMENT: No ottoched file	CONTROL#: (VEH. TYPE) - (#)	
COMMENT: NO attached file		

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015	
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	<b>P</b> HONE: (204) 224-6848	
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015	
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 87 TS44.2 Visors Sun Shades	,	
CHANG E REQUESTED		
Original Language:		
Adjustable sun visor(s) shall be provided for the driver's windshield and the driver's side window (option). Visors shall be shaped to minimize light leakage between the visor and windshield pillars. Visors shall store out of the way and shall not obstruct airflow from the climate control system or interfere with other equipment, such as the radio handset or the destination control.		
	*	
COMMENTS / REASON FOR CHANGE		
New Flyer requests approval to meet this requirement using Adjustable sun shades that are provided for the driver's windshield and the driver's side window. Visors shall be shaped to minimize light leakage between the visor and windshield pillars. Deployment of the sun shade shall not restrict vision of the rearview mirrors. Sun shade adjustments shall be made easily by hand with positive locking and releasing devices and shall not be subject to damage by over-tightening. Sun shade construction and materials shall be strong enough to resist breakage during adjustments. Sun shades may be transparent but shall not allow a visible light transmittance in excess of 10 percent.		
REVIEWED BY: Victor March DATE: 3/10/15 ACTION TAKEN: Approved	CONTROL#: (VEH. TYPE) - (#)	
COMMENT:		

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	<b>P</b> HONE: (204) 224-6848
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 102 TS52 Capacity and Performance	, , ,
CHANG E REQUESTED	
Original Language:	
Weight – 480 pounds or less	·
COMMENTS / REASON FOR CHANGE	
New Flyer requests approval to provide a unit that weighs 515 pounds or le requirements in this section.	ss and meets all other performance
REVIEWED BY: Victor Moral DATE: 3/16/15 ACTION TAKEN: Approved	CONTROL#: (VEH. TYPE) - (#)
COMMENT:	

Page 161 of 176

R.F.P. # LRGVDC-TX-34-0010-00

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015	
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848	
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015	
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 103 TS53 Controls and Temperature Uniformity	4	
CHANG E REQUESTED		
Original Language:		
Hot engine coolant water shall be delivered to the HVAC system driver's defroster/heater and other heater cores by means of an auxiliary coolant pump, sized for the required flow, having a minimum maintenance-free service life of at least 40,000 hours at full power.		
COMMENTS / REASON FOR CHANGE  New Flyer requests approval to provide a unit that has a minimum mainten	ance-free service life of at least	
25,000 hours at full power, per the HVAC supplier which is appropriate for a medium duty, 10 year bus. This is inherent to the systems designed on the proposed bus.		
ACTION TAKEN: Approved DATE: 3/16/15	CONTROL#: (VEH. TYPE) - (#)	
COMMENT:		

Page 161 of 176

R.F.P. # LRGVDC-TX-34-0010-00

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015	
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848	
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015	
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 106 TS54.4 Drivers Compartment Requirements	•	
CHANG E REQUESTED		
Original Language:		
Entire Section	e e	
COMMENTS / REASON FOR CHANGE		
New Flyer requests approval to meet this requirement using air ducted directly from the roof mounted HVAC unit. This is possible as the unit is located toward the front of the bus, making air flow to the driver possible unlike with a rear mounted unit. Furthermore, it reduces the number of components that may fail. With the proposed system, the bus exceeds the APTA whitebook requirements and meets Houston Pull Down.		
REVIEWED BY: Victor Morale DATE: 3/10/15 ACTION TAKEN: ASSPROVED	CONTROL#: (VEH. TYPE) - (#)	
COMMENT:		

Page 161 of 176

PREPARED BY: New Flyer of America Inc.	<b>D</b> ATE: <b>March</b> 9, 2015
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 109 TS 64.1 Rub Rails	,
CHANG E REQUESTED	
Original Language:	
Entire Section	
COMMENTS / REASON FOR CHANGE	
New Flyer requests approval to provide a bus that is not equipped with rub replaceable lower panels between the front and rear tires. This is inherent to and an option for rub rails is not available.	
REVIEWED BY: Use of Morale DATE: 3/16/15 ACTION TAKEN: Approved	CONTROL#: (VEH. TYPE) - (#)
COMMENT:	

Page 161 of 176

R.F.P. # LRGVDC-TX-34-0010-00

PREPARED BY: New Flyer of America Inc.	DATE: March 9, 2015	
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848	
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015	
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 126 TS77 Passenger Assists		
CHANG E REQUESTED		
Original Language:		
Nylon R Requirement	-	
COMMENTS / REASON FOR CHANGE		
New Flyer requests approval to provide stainless steel stanchions with powdercoat covering rather than Nylon R. It is proven to be as durable and is more effectively sourced in North America.		
REVIEWED BY: Victor Morgle DATE: 3/16/15 ACTION TAKEN: Approved	CONTROL#: - (VEH. TYPE) - (#)	
COMMENT:		

Page 161 of 176

PREPARED BY: New Flyer of America Inc.	Date: March 9, 2015	
Address: 711 Kernaghan Avenue, Winnipeg, MB, Canada R2C 3A8	PHONE: (204) 224-6848	
SPEC. #: TXDOT-070-99- (VEHICLE TYPE) MD30 (MiDi, 30')	SPEC. DATE: Feb 25, 2015	
LOCATION OF REQUEST FOR CHANGE (PAGE, PARAGRAPH #): 129 TS78.4 Door Glazing	,	
CHANG E REQUESTED		
Original Language:		
Upper Section and Lower Section Glazing Requirements		
	9	
COMMENTS / REASON FOR CHANGE		
New Flyer requests approval to provide full glazing on both the front and rear doors. This provides a modern aesthetic as well as provides a better field of vision for the driver at the front door. Furthermore, since this is the standard on the product, it ensures timely replacement of parts should they be needed.		
ACTION TAKEN: Approved DATE: 3/6/15	CONTROL#: - (VEH. TYPE) - (#)	
COMMENT:		